

Self-Efficacy for a Post-Stroke Rehabilitation Task with Coaching from a Socially Assistive Robot

Katelyn Swift-Spong¹, Elaine Short¹, and Maja J Matarić¹

I. INTRODUCTION

Approximately 800,000 people in the United States survive a stroke each year, and many will need some form of motor rehabilitation [1]. The rehabilitation process often involves repetitive tasks, making it difficult to consistently perform exercises without outside support. A possible source of support and motivation, between visits to an occupational or physical therapist, is a Socially Assistive Robot (SAR). However, a greater understanding of how to motivate a patient is needed in order to provide this type of support with a SAR. An important factor underlying motivation is *self-efficacy*, a person's belief about their ability to perform a task. In this work, we develop an autonomous SAR capable of guiding a person through a button-reaching task and providing feedback on their performance. We then compare the effects of two types of comparative feedback that have been shown to increase performance on motor learning tasks [2] to no comparative feedback given by a robot coach on a person's self-efficacy for a reaching task.

II. METHODOLOGY

The experimental setup for this study is shown in Figure 1. The participant sat at a table with a button board overlay across from an autonomous SAR. During the session, the robot instructed the participant to push a series of buttons with one arm at a time. The robot could detect when buttons were pushed and gave feedback after each successful button push on how long it took to push the button. Participants were asked to complete a total of 100 button pushes, and were also given the option of completing additional time-on-task button pushes. We compared the effects on self-efficacy of two types of comparative feedback, comparing to prior performance and comparing to the performance of others who are similar, given by the robot after each button push against a control of no comparative feedback. The comparative feedback in both non-control conditions was normalized to tell all participants that they had performed 20% better than expected. To measure self-efficacy, we alternated the use of self-report and button-push probes after every two button pushes. A total of 23 participants completed the study.

*This work was supported by National Science Foundation grants IIS-1117279, CNS-0709296, and the NSF GRFP. We would like to thank our collaborators at Rancho Los Amigos National Rehabilitation Center and the Rancho Research Institute for their support.

¹K. Swift-Spong (corresponding author), E. Short, and M. J. Matarić are with The University of Southern California, Los Angeles, CA 90089, USA (email: swiftspo, elaine.g.short, matric @usc.edu).




Fig. 1. Experimental setup and mean delay time by condition.

III. RESULTS AND DISCUSSION

We found that participants' performance, as measured by press time, improved on the task: the first press took significantly longer ($p < .005$) than the last press. This increase in performance validates the use of a SAR coach for this type of task. We also found a statistically significant difference among the three conditions of delay time before the participant began a button push ($p < .05$). We found that other-comparative feedback had the longest delay time as shown in Figure 1, suggesting that this type of feedback should be avoided because it could result in decreases in performance. We also examined the responses to the two self efficacy probes, and found that the difficulty of buttons chosen by participants during the probes varied along three dimensions: self-efficacy level, variation over time, and consistency between the two probes. Finally, 4 of 5 participants who chose to complete additional button pushes also had high self efficacy levels as measured by the probes.

IV. CONCLUSION

In this study we validated the use of an autonomous SAR coach for a button pushing task, showing that performance increased over time. In addition, we demonstrated a dimensional characterization of participants' responses to the self efficacy probes that could be used in the development of computational models for SARs that aim to increase self efficacy. There is also some indication that people with high self-efficacy will persist in the task longer. Future work will explore how a SAR can use information about a person's self-efficacy to predict and motivate their behavior in rehabilitation tasks.

REFERENCES

- [1] "Heart Disease and Stroke Statistics—2015 Update: A Report From the American Heart Association," *Circulation*, pp. e29–e322, 2014.
- [2] R. Lewthwaite and G. Wulf, "Social-comparative feedback affects motor skill learning," *Quarterly journal of experimental psychology* (2006), vol. 63, no. February 2015, pp. 738–749, 2010.