

# Performance Measures for Assistive Robotic Technology

Katherine Tsui  
Holly Yanco  
UMass Lowell

David Feil-Seifer  
Maja Mataric  
USC

# Ubiquitous Performance Metrics

- Time on task/time to task completion
- User friendliness
- Ease of operation
- Effectiveness of input device

# Assistive Tech Domains


- Autism Spectrum Disorders
- Eldercare
- Post-stroke rehabilitation
- Intelligent wheelchairs
- Assistive robotic manipulators
- External limb prosthesis

# Assistive Robotic Manipulators

- Georgia Institute of Technology
- University of Pittsburgh
- Clarkson University
- UMass Lowell
- TNO Science & Industry, Delft University

# Assistive Robotic Manipulators

- UMass Lowell
- $n=8$  (CP, TBI, SB, OI)
- Time to task completion, level of prompting, level of attention, questionnaire



Exact Dynamics 2008

# External Limb Prostheses

- Rehabilitation Institute of Chicago,  
Northwestern University
- MIT
- Hong Kong Polytechnic University

# External Limb Prostheses

- RIC, Northwestern University
- $n=6$  (TMR)
- Time to task completion, accuracy, AMPS score



[www.sentientdevelopments.com](http://www.sentientdevelopments.com)

# Functional Performance Measures

- A performance measure relating to an Activity of Daily Living (ADL) and administered in a realistic setting

# Functional Performance Measures

Tool	Length	Categories of Functional Assessment	Rating	Applicable Domain(s)
<b>15D</b> [86]	15 items	mobility, vision, hearing, breathing, sleeping, eating, speech, elimination, activities of daily life, mental function, discomfort and symptoms, depression, distress, vitality, sexual activity	$n \in [1, 5]$ , where 1 = cannot do, 5 = normal ability	Eldercare, post-stroke rehabilitation
<b>FIM</b> [9]	18 items	feeding, grooming, bathing, dressing (upper and lower body), toileting, bladder management, bowel management, bed transfer, toilet transfer, tub transfer, walking/wheelchair, climbing stairs, comprehension, expression, social interaction, problem solving, memory	$n \in [1, 7]$ , where 1 = needs total assistance and 7 = complete independence	Autism Spectrum Disorders, assistive robotic arms, eldercare, post-stroke rehabilitation, wheelchair
<b>Motor Assessment Scale</b> [6]	8 items	supine to side lying, supine to sitting over the edge of a bed, balanced sitting, sitting to standing, walking, upper-arm function, hand movements, advanced hand activities	$n \in [0, 6]$ , where 6 = optimal motor behavior	Post-stroke rehabilitation
<b>SF-36</b> [74]	36 items	typical daily activities (strenuous activities, moderate activities, carrying groceries, climbing several flights of stairs, climbing one flight of stairs, bending/kneeling, walking more than a mile, walking several blocks, walking one block, bathing/dressing yourself)	$n \in [0, 3]$ , where 0 = limited a lot, 3 = not limited	Eldercare, post-stroke rehabilitation, prostheses, wheelchair
<b>Vineland Adaptive Behavior Scales</b> (survey form) [72]	297 items	daily living skills, motor skills (gross motor, fine motor)	$n \in [0, 2]$ , where 0 = never performed without help or reminders and 2 = usually or habitually performed without help or reminders	Autism Spectrum Disorders, eldercare, post-stroke rehabilitation, prostheses, wheelchairs

# Functional Performance Measures

- Pros:
  - Clinically accepted
- Cons:
  - Time intensive (20-60 mins)
  - Discrete

# Recommendations (1/3)

- Consult a clinician who specializes in the particular domain.
- Choose an appropriate clinical measure for the domain. A domain's "gold standard" will provide the best validity to clinicians, if one exists.
- Include a functional performance measure appropriate for the domain.

# Recommendations (2/3)

- Choose an appropriate method to capture a participant's emotional and mental state.
- Consider an appropriate quality of life measurement.
- Administer the human performance measures at least once before and after the experiment or study.

# Recommendations (3/3)

- Consider coding open-ended responses, comments, and/or video.
- Concretely define each enumeration on Likert and differential semantic scales.

# Questions?



<http://www.cs.uml.edu/robots>