

Variable Body Image – Evaluation Framework of Robot's Appearance using Movable Human-like Parts


Keio University




Hirotaka Osawa, Yuji Matsuda, Ren Ohmura, and Michita Imai Keio University

Introduction


- We propose Variable Body Image for evaluation tool of HRI
 - To evaluate robot's appearances comparable in running situation





Related HRI studies (1/3)

Normal HRI uses one independent robot















Related HRI studies (2/3)

- It is difficult to compare the results of each evaluation
 - There are no standard appearance of a robot




Related HRI studies (3/3)


- Paper test is alread conducted [DiSalvo et al. 02]
 - However, it's just paper test.




Our approach

- We attach human-like parts to the robot additionally and gave it difference appearance
 - You can evaluate multiple appearance immediately





Design of the framework




Implementation of each parts







Experiment using variable body image

- 1. What is critical element to recognize robot as agent?
 - Voice? Appearance?
- 2. What appearance parts is more important to achieve communication?








Evaluation method (1/2)

 We used system response time (SRT) [Shiwa et al, HRI08]









Evaluation method (2/2)


 We used system response time (SRT) [Shiwa et al, HRI08]




Communication flow



Field design








An assistant

Dialog



User	(action)
Caci	action

"Hello"

"Please move the box."

"That one!"
(with direction of the right object)

"When do you move it?"

"Yes, please."

"Thank you."

Robot(response)

"Hello"

"Which one?"

"Okey, I understand."

"About 6 P.M."

"Okey."

"You're welcome."

Scene of the experiment



Conditions of the experiment 1



visual information (display)

(1)display

(2)display and eye



deanthropomorphic



(3)voice

(4)voice and eye

speech information (voice)







Participants

- Display, Voice, Voice and Eye
 - 33 participants: 22 males, 12 females
 - within subject design
- Display and eye
 - 27 participants: 19 males, 8 females


Statistics

- ANOVA for 3 parameters
 - Appearance
 - Response time
 - Talk elements






Voice is critical element



Conditions of the experiment 2




Participants


- 33 participants: 22 males, 12 females
 - within subject design

Statistics

- ANOVA for 3 parameters
 - Appearance
 - Response time
 - Talk elements



Eye has more important role for interaction




Future work






Determine detail robot's body scale


 To research more variable robot's design field than pursue the design that imitated entire human




Future work

- Body image evaluation framework
 - With online







Conclusion

- We propose Variable Body Image framework
- We test our framework by system response time of users

