


Target Tracking in Dynamic & Uncertain Environments


David Hsu

National University of Singapore




Target tracking

See



Move



Applications

Elderly care





NurseBot




Ubiko, a hospital robot guide
Aizu Central Hospital, Japan

Approaches


local planning



global planning




Local greedy tracking




Obstacles

- Simple visual servo control works well only if there are no or few obstacles.
- Obstacles obstruct the robot's
 - mobility
 - visibility




What can the robot do?




Vantage zone

swing




approach



Formally, ...

- **Risk** w.r.t. a single occlusion edge i

$$\begin{aligned}\varphi_i &= \frac{Dist(\text{target}, D)}{RelVel(\text{target}, D)} \\ &= \frac{r - e}{v_r + (r'/r)/v_n - v'_n}\end{aligned}$$




- Risk w.r.t. to multiple occlusion edges

$$\varphi = \sum_i p_i \varphi_i$$

- Choose the action to minimize the risk

$$\nabla \varphi$$



2-D target tracking

Simulation in Player/Stage




Hardware experiments

A simple environment



Hardware experiments

Occlusion



T. Bandyopadhyay, D. Hsu, and Ang Jr., M.H.. [Motion strategies for people tracking in cluttered dynamic environments](#). In *Proc. Int. Symp. on Experimental Robotics*, 2008.

Experimental results



In a crowd



T. Bandyopadhyay, D. Hsu, and Ang Jr., M.H.. [Motion strategies for people tracking in cluttered dynamic environments](#). In *Proc. Int. Symp. on Experimental Robotics*, 2008.

3-D target tracking

Simulation in Player/Stage





Advantages


- Use purely local geometric information for action selection.
- No need to localize w.r.t. a global map.
- No accumulation of error due to uncertainty in robot control and sensing.

POMDP tracking



Basic elements of a POMDP

- A discrete POMDP model
 - States  Unknown
 - Actions
 - Observations
 - Rewards
 - State transition function
 - Observation function  Known
- A **belief state** is a probability distribution over the states.
- A **policy** is a mapping from a belief to an action. An optimal policy maximizes the expected total reward.



Advantages of POMDP modeling


- Balance **information gathering** and **goal achievement**.
- Track a **belief** rather than a state. Unify target **search** and target **following**.

Complexity of solving POMDPs

- Solving POMDPs exactly is computationally intractable:
 - Finite-horizon POMDPs are PSPACE-complete [Papadimitriou & Tsisiklis, 87].
 - Infinite-horizon POMDPs are undecidable [Madani et al., 99].


“Curse of dimensionality”

classic motion planning



exponential in the dimension of the state space (robot's DoFs)


POMDP planning



exponential in the number of states; **doubly exponential** in the dimension of the state space

⋮
0.05
0.1
0
0
0
0
0.7
⋮

Point-based POMDP algorithms




Probabilistic Sampling

	PBVI 2003 Pineau et al.	HSVI 2003 Smith & Simmons	Perseus 2005 Spaan & Vlassis	HSVI2 2005 Smith & Simmons	SARSOP 2008 Hsu et al.
Time (sec.)	180,880	10,113	1,670	24	6
Reward	-9.18	-6.17	-6.17	-6.36	-6.13

Simulation experiments



Simulation experiments



Summary


Local greedy tracking

- Local information.
- Track a state.
- Easier to implement.



POMDP tracking

- Global information on target behavior.
- Track a belief.
- More robust and sophisticated tracking behavior.



Acknowledgments

- Marcelo H. Ang Jr., NUS
- Wee Sun Lee, NUS
- Hanna Kurniawati, SMA
- Sylvie Ong, NUS
- Tirthankar Bandyopadhyay, SMA
- Nan Rong, Cornell
- Yanzhu Du, Stanford
- Xan Huang

References

- T. Bandyopadhyay, D. Hsu, and Ang Jr., M.H.. [Motion strategies for people tracking in cluttered dynamic environments](#). In *Proc. Int. Symp. on Experimental Robotics*, 2008.
- D. Hsu, W.S. Lee, and N. Rong. [A point-based POMDP planner for target tracking](#). In *Proc. IEEE Int. Conf. on Robotics & Automation*, pp. 2644–2650, 2008.
- T. Bandyopadhyay, Ang Jr., M.H., and D. Hsu. [Motion planning for 3-D target tracking among obstacles](#). In *Proc. Int. Symp. on Robotics Research*, 2007.
- T. Bandyopadhyay, Y.P. Li, Ang Jr., M.H., and D. Hsu. [A greedy strategy for tracking a locally predictable target among obstacles](#). In *Proc. IEEE Int. Conf. on Robotics & Automation*, pp. 2342–2347, 2006.