

Introduction to Robotics

- CS 445 (lab course, 4 units)
- Amin Atrash

- *Lecture #1: Defining Robotics*

Lecture Outline

- ❑ Defining “robot”
- ❑ What makes a robot
- ❑ Sensors, sensor space
- ❑ State, state space
- ❑ Action/behavior, effectors, action space
- ❑ The spectrum of control

Why “robot”?


- ❑ The term “robot” comes from Karel Capek’s 1921 play RUR ([Rossum’s Universal Robots](#)).
- ❑ It is most likely a combination of “**rabota**” (obligatory work) and “**robotnik**” (serf).
- ❑ The kind of robotics we will talk about will move far beyond such “obligatory work.”

Who said “robotics”?

- The term “robotics” comes from Capek’s “robot”, and was first introduced by Isaac Asimov in his science fiction writing.

Alternative terms

- ❑ **UAV**: Unmanned Aerial Vehicle
- ❑ **UGV**: Unmanned Ground Vehicle
- ❑ **UUV**: Unmanned Undersea
(underwater) Vehicle
- ❑ **AUV**: Autonomous Underwater
Vehicle



What is a Robot?


- A robot is a system which exists in the physical world and autonomously senses its environment and acts in it to achieve some goals.

Other Definitions






- ❑ A robot is a re-programmable, multi-functional, manipulator designed to move material, parts, or specialized devices through variable programmed motions for the performance of a task (**Robotics Industry Association**)
- ❑ Robotics is the intelligent connection of perception to action (**M. Brady**)

Anthropomorphic Robots

(Having human form or attributes)



Animal-like Robots



RHEX (U. Michigan)



Animal-robots

- ❑ Idea: use biological “mechanics”
- ❑ But endow them with alternative robotic control...
- ❑ Cutting edge but poses ethical issues!
- ❑ Applications: search and rescue in rubble, surveillance, etc.

Rat navigation guided by remote control

Free animals can be 'virtually' trained by microstimulating key areas of their brains.

Procedures used to train laboratory animals often incorporate operant learning¹ paradigms in which the animals are taught to produce particular responses to external cues (such as aural tones) in order to obtain rewards (such as food). Here we show that by removing the physical constraints associated with the delivery of cues and rewards, learning paradigms based on brain microstimulation enable conditioning approaches to be used that help to transcend traditional boundaries in animal learning. We have used this paradigm to develop a behavioural model in which an experimenter can guide distant animals in a way similar to that used to control 'intelligent' robots.

Depending on the site of brain stimulation, an electrical stimulus can act as a cue or a reward²⁻⁴. Studies of these phenomena have generally been concerned with functional mechanisms of the nervous system⁵, and little thought has been given to the potential of behavioural paradigms constructed wholly around such focal brain stimulations. We used stimulation of the somatosensory cortical (SI) and medial forebrain bundle (MFB)³ as 'virtual' cues and rewards, respectively, delivered to freely roaming rats. We imposed behavioural contingencies so that an operator could accurately steer the animal, in real time, over any arbitrarily specified three-dimensional route and over a range of real-world terrains.

We implanted stimulating electrodes




Figure 1 Examples of guided rat navigation using brain microstimulation. Sketches are constructed from digitized video recordings. Red dots indicate rat head positions at 1-s intervals; green dots indicate positions at which reward stimulations were administered to the medial forebrain bundle (MFB); blue arrows indicate positions at which right (R) and left (L) directional cues were issued; black arrows indicate positions 0.5 s after directional commands. **a**, Route followed by a rat guided through a slalom course. Inset, detail of the events that took place inside the dashed enclosure. **b**, Route taken by a rat guided over a three-dimensional obstacle course. The animal was instructed to climb a vertical ladder, cross a narrow ledge, descend a flight of steps, pass through a hoop and descend a steep (70°) ramp. Two rounds of high-density MFB stimulation were required to guide the rat successfully down the ramp, demonstrating the motivational qualities of MFB stimulation.

surroundings, running forwards and turning instantaneously on cue (Fig. 1a). They moved at speeds averaging 0.3 m s^{-1} and worked continuously for periods of up to a 1-hour test limit.

and to direct them through environments that they would normally avoid, such as brightly lit, open arenas.

Our results show that 'virtual' learning, involving direct stimulation of the central


Roborat





Note: is it really a robot?

The rat is roaming freely but its **autonomy** is limited because cues and rewards are delivered by a human operator. They could be delivered by an A.I. system, though...

Roborat lives!



Unmanned Vehicles




What Makes a Robot?

- ❑ A robot consists of:
 - ❑ sensors
 - ❑ effectors/actuators
 - ❑ (communication)
 - ❑ controller

- ❑ A robot is capable of:
 - ❑ acting autonomously
 - ❑ achieving goals

Rational Agent / link to A.I.



Sensors: what can be sensed?

- ❑ Depends on the sensors on the robot
- ❑ The robot exists in its *sensor space*: all possible values of sensory readings
- ❑ Also called *perceptual space*
- ❑ Robot sensors are *very different from biological ones*
- ❑ A roboticist has to try to imagine the world in the robot's sensor space

State: what can be known?

- ❑ A sufficient description of the system
- ❑ Can be:
 - ❑ *Observable*: robot always knows its state
 - ❑ *Hidden/inaccessible/unobservable*: robot never knows its state
 - ❑ *Partially observable*: the robot knows a part of its state
 - ❑ *Discrete* (e.g., up, down, blue, red)
 - ❑ *Continuous* (e.g., 3.765 mph)

Types of State

- ❑ *External state*: state of the world
 - ❑ Sensed using the robot's sensors
 - ❑ E.g.: night, day, at-home, sleeping, sunny

- ❑ *Internal state*: state of the robot
 - ❑ Sensed using internal sensors
 - ❑ Stored/remembered
 - ❑ E.g.: velocity, mood


- ❑ The robot's state is a combination of its external and internal state.

State and Intelligence

- ❑ *State space*: all possible states the system can be in
- ❑ *A challenge*: sensors do not provide state!
- ❑ *How intelligent a robot appears is strongly dependent on how much it can sense about its environment and about itself.*

Internal Models

- ❑ Internal state can be used to remember information about the world (e.g., remember paths to the goal, remember maps, remember friends v. enemies, etc.)
- ❑ This is called a *representation* or an *internal model*.
- ❑ *Representations/models have a lot to do with how complex a controller is!*



Action/Actuation

- ❑ A robot acts through its *actuators* (e.g., motors), which typically drive *effectors* (e.g., wheels)
- ❑ Robotic actuators are very different from biological ones, both are used for:
 - ❑ *locomotion* (moving around, going places)
 - ❑ *manipulation* (handling objects)
- ❑ This divides robotics into two areas
 - ❑ *mobile* robotics
 - ❑ *manipulator* robotics

Actuators and DOF

- ❑ Mobile robots move around using wheels, tracks, or legs
- ❑ Mobile robots typically move in 2D (but note that swimming and flying is 3D)
- ❑ Manipulators are various robot arms
 - ❑ They can move from 1 to many D
 - ❑ Think of the dimensions as the robot's *degrees of freedom (DOF)*



Action v. Behavior

- ❑ *Behavior* is what an external observer sees a robot doing.
- ❑ Robots are programmed to display desired behavior.
- ❑ Behavior is a result of a **sequence of robot actions**.
- ❑ Observing behavior may not tell us much about the internal control of a robot. Control can be a **black box**.


Autonomy

- ❑ *Autonomy is the ability to make one's own decisions and act on them.*
- ❑ For robots, autonomy means the ability to sense and act on a given situation appropriately.
- ❑ Autonomy can be:
 - ❑ *complete* (e.g., R2D2)
 - ❑ *partial* (e.g., tele-operated robots)

Control

- ❑ *Robot control* refers to the way in which the sensing and action of a robot are coordinated.
- ❑ The many different ways in which robots can be controlled all fall along a well-defined *spectrum of control*.

Spectrum of Control



Control Approaches

- ❑ *Reactive Control*
 - ❑ *Don't think, (re)act.*

- ❑ *Behavior-Based Control*
 - ❑ *Think the way you act.*

- ❑ *Deliberative Control*
 - ❑ *Think hard, act later.*

- ❑ *Hybrid Control*
 - ❑ *Think and act independently, in parallel.*

Food for Thought

- Are exo-skeletons robots?
- Is **HAL** a robot?
- Some intelligent Web agents are called “**softbots**”. Are they robots?
- Most, if not all, of the robots you build in this class will use reactive control. What more is there?